

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>1</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.43	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>2</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.43	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>3</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.43	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>4</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.42	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>5</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.43	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>6</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.42	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>7</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.43	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>8</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Fail</b>
Test Type	Details	Result	Status	
Visual		1-2-1-1-1-1-1-1	Fail (Plug)	

**Asset Test Notes : [LIVE NOT TOO SHORT NOT CONNECTED REPORTED ANDREPAIRED]**

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>9</b>		Description : <b>CABLE REEL 50M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.74	Pass	
Insulation Test	Voltage - 500	66.96	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>10</b>		Description : <b>CABLE REEL 50M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.76	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>11</b>		Description : <b>CABLE REEL 50M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.76	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>12</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.42	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>13</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.47	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>14</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.4	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>15</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Fail</b>
Test Type	Details	Result	Status	
Visual		1-2-1-1-1-1-1-1	Fail (Plug)	

**Asset Test Notes : [NO LOCKING PLATE AND SCREWS FOR THE SHEATH]**

Asset ID : <b>16</b>		Description : <b>CABLE REEL 25M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.42	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>17</b>	Description : <b>CABLE REEL 25M</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.42	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>18</b>	Description : <b>CABLE REEL 25M</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.42	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>19</b>	Description : <b>CABLE REEL 25M</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.42	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>20</b>	Description : <b>CABLE REEL 50M</b>	Overall : <b>Fail</b>	
Test Type	Details	Result	Status
Visual		1-2-1-1-1-1-1-1	Fail (Plug)

**Asset Test Notes : [NO POLARITY FUSE BLOWN. REPLACED]**

Asset ID : <b>21</b>	Description : <b>CABLE REEL 50M</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.76	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>22</b>	Description : <b>CABLE REEL 50M</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.76	Pass
Insulation Test	Voltage - 500	99.45	Pass
Polarity Test	Normal		Pass

Asset ID : <b>23</b>	Description : <b>CABLE REEL 50M</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.77	Pass
Insulation Test	Voltage - 500	96.92	Pass
Polarity Test	Normal		Pass

Asset ID : <b>24</b>	Description : <b>EXT LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.09	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>25</b>	Description : <b>EXT LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.13	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>26</b>	Description : <b>EXT LEAD</b>	Overall : <b>Fail</b>	
Test Type	Details	Result	Status
Visual		1-2-1-1-1-1-1-1	Fail (Plug)

**Asset Test Notes : [BLOWN FUSE. REPLACED.]**

Asset ID : <b>27</b>	Description : <b>EXT LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.06	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>28</b>	Description : <b>230 V 16 A ADAPTER - 32 A</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass

Asset ID : <b>29</b>	Description : <b>230 V EXT LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.06	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>30</b>	Description : <b>230 V EXT LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.06	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>31</b>	Description : <b>230 V EXT LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.06	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>32</b>	Description : <b>230 V EXT LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.05	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall	
<b>33</b>	<b>230 V ADAPTER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1	Pass
Continuity Test		0.08	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>34</b>	<b>230 V ADAPTER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1	Pass
Continuity Test		0.04	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>35</b>	<b>230 V ADAPTER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1	Pass
Continuity Test		0.07	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>36</b>	<b>230 V ADAPTER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1	Pass
Continuity Test		0.04	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>37</b>	<b>230 V ADAPTER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1	Pass
Continuity Test		0.05	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>38</b>	<b>16-32A 230 V INDUSTRIAL PLUG</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1	Pass
Continuity Test		0.04	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>39</b>	<b>RCD ADAPTER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1	Pass
<b>40</b>	<b>RCD ADAPTER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1	Pass
<b>41</b>	<b>RCD ADAPTER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1	Pass

# Detailed Test Report

JobID : 116057      Engineer : Paul Sadler      Test Date : 07-Jun-12  
 Company : ES PROMOTIONS      Test Instrument : 1000-745/101089937      Total Tests : 277

Asset ID : 42	Description : RCD ADAPTER	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass

Asset ID : 43	Description : RCD ADAPTER	Overall : Fail	
Test Type	Details	Result	Status
Visual		1-1-1-2-1-1-1-1	Fail (Switch)

**Asset Test Notes : [RCD TEST BUTTON NOT WORKING]**

Asset ID : 44	Description : PLUG - 230 V EXT	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : 45	Description : PLUG - 230 V EXT	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.06	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : 46	Description : PLUG - 230 V EXT	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : 47	Description : SOCKET - 230 V EXT	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.05	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : 48	Description : SOCKET - 230 V EXT	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.05	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : 49	Description : SOCKET - 230 V EXT	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.37	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall	
<b>50</b>	<b>SOCKET - 230 V EXT</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.04	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>51</b>	<b>SOCKET - 230 V EXT</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.04	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>52</b>	<b>230 V EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.26	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>53</b>	<b>230 V EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.31	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>54</b>	<b>PLUG - 230 V EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.05	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>55</b>	<b>230 V INDUSTRIAL EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.27	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>56</b>	<b>230 V INDUSTRIAL EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.12	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>57</b>	<b>230 V INDUSTRIAL EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.24	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall	
<b>58</b>	<b>230 V INDUSTRIAL EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.27	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>59</b>	<b>CABLE REEL 10 M</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.22	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>60</b>	<b>CABLE REEL 10 M</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.22	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>61</b>	<b>CABLE REEL 10 M</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.13	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>62</b>	<b>CABLE REEL 5M</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.12	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>63</b>	<b>CABLE REEL 5M</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.13	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>64</b>	<b>CABLE REEL 10M</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.22	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>65</b>	<b>CABLE REEL 25 M</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.51	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass



# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall
<b>66</b>	<b>CABLE REEL 5 M</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
Result: 1-1-1-1-1-1-1-1		
Result: 0.12		
Result: > 99.9 M		
Result: Normal		
<b>67</b>	<b>CABLE REEL 5 M</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
Result: 1-1-1-1-1-1-1-1		
Result: 0.13		
Result: > 99.9 M		
Result: Normal		
<b>68</b>	<b>CABLE REEL 5 M</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
Result: 1-1-1-1-1-1-1-1		
Result: 0.12		
Result: > 99.9 M		
Result: Normal		
<b>69</b>	<b>CABLE REEL 5 M</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
Result: 1-1-1-1-1-1-1-1		
Result: 0.13		
Result: > 99.9 M		
Result: Normal		
<b>70</b>	<b>CABLE REEL 5 M</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
Result: 1-1-1-1-1-1-1-1		
Result: 0.12		
Result: > 99.9 M		
Result: Normal		
<b>71</b>	<b>CABLE REEL 5 M</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
Result: 1-1-1-1-1-1-1-1		
Result: 0.12		
Result: > 99.9 M		
Result: Normal		
<b>72</b>	<b>CABLE REEL 5 M</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
Result: 1-1-1-1-1-1-1-1		
Result: 0.13		
Result: > 99.9 M		
Result: Normal		
<b>73</b>	<b>CABLE REEL 5 M</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
Result: 1-1-1-1-1-1-1-1		
Result: 0.12		
Result: > 99.9 M		
Result: Normal		

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>74</b>		Description : <b>CABLE REEL 5 M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.13	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>75</b>		Description : <b>CABLE REEL 5 M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.12	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>76</b>		Description : <b>CABLE REEL 5 M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.12	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>77</b>		Description : <b>CABLE REEL10 M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.22	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>78</b>		Description : <b>CABLE REEL10 M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.17	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>79</b>		Description : <b>CABLE REEL10 M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.22	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>80</b>		Description : <b>CABLE REEL10 M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.14	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>81</b>		Description : <b>INDUSRIAL EXT LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.08	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>82</b>	Description : <b>PLUG EXT TO 230V IND SOCKET</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.22	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>83</b>	Description : <b>230V IND PLUG EXT</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.32	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>84</b>	Description : <b>230V IND PLUG EXT</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.32	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>85</b>	Description : <b>230V IND PLUG EXT</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>86</b>	Description : <b>230V IND PLUG EXT</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.22	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>87</b>	Description : <b>230V IND PLUG EXT</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.28	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>88</b>	Description : <b>PLUG -230V IND PLUG EXT</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.05	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>89</b>	Description : <b>BLOWER</b>	Overall : <b>Fail</b>	
Test Type	Details	Result	Status
Visual		1-1-2-1-1-1-1-1	Fail (Lead)

**Asset Test Notes : [EXPOSED WIRES REPORTED TO CUSTOMER]**

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>90</b>		Description : <b>BLOWER</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.2	Pass	
VA Test		11	Pass	

Asset ID : <b>91</b>		Description : <b>BLOWER</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.2	Pass	
VA Test		93	Pass	

Asset ID : <b>92</b>		Description : <b>BLOWER</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.2	Pass	
VA Test		10	Pass	

Asset ID : <b>93</b>		Description : <b>BLOWER</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.3	Pass	
VA Test		16	Pass	

Asset ID : <b>94</b>		Description : <b>BLOWER</b>	Overall : <b>Fail</b>	
Test Type	Details	Result	Status	
Visual		1-1-2-1-1-1-1-1	Fail (Lead)	

**Asset Test Notes : [EXPOSED WIRES. REPORTED]**

Asset ID : <b>95</b>		Description : <b>BLOWER</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.2	Pass	
VA Test		10	Pass	

Asset ID : <b>96</b>		Description : <b>BLOWER</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.05	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>97</b>		Description : <b>PLUG - IND SOCKET</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.05	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>98</b>		Description : <b>PLUG - IND SOCKET</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.07	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>99</b>		Description : <b>PLUG - IND SOCKET</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.05	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>100</b>		Description : <b>PLUG - IND SOCKET</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.05	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>101</b>		Description : <b>BLOWER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.05	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>102</b>		Description : <b>BLOWER</b>		Overall : <b>Fail</b>
Test Type	Details	Result	Status	
Visual		1-1-2-1-1-1-1-1	Fail (Lead)	

**Asset Test Notes : [EXPOSED WIRES. REPORTED]**

Asset ID : <b>103</b>		Description : <b>BLOWER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.2	Pass	
VA Test		14	Pass	

Asset ID : <b>104</b>		Description : <b>BLOWER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.2	Pass	
VA Test		10	Pass	

Asset ID : <b>105</b>		Description : <b>BLOWER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.2	Pass	
VA Test		10	Pass	

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>106</b>		Description : <b>BLOWER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.2	Pass	
VA Test		15	Pass	

Asset ID : <b>107</b>		Description : <b>BLOWER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.2	Pass	
VA Test		12	Pass	

Asset ID : <b>108</b>		Description : <b>BLOWER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.1	Pass	
VA Test		98	Pass	

Asset ID : <b>109</b>		Description : <b>PLUG - IND SOCKET</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.3	Pass	
VA Test		17	Pass	

Asset ID : <b>110</b>		Description : <b>PLUG - IND SOCKET</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.05	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>111</b>		Description : <b>PLUG - IND SOCKET</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.05	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>112</b>		Description : <b>PLUG - IND SOCKET</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.05	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>113</b>		Description : <b>PLUG - IND SOCKET</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.32	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>114</b>		Description : <b>PLUG - IND SOCKET</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.05	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>115</b>		Description : <b>PLUG - IND SOCKET</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.06	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>116</b>		Description : <b>PLUG - IND SOCKET</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.05	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>117</b>		Description : <b>SPOTLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.03	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		44	Pass	

Asset ID : <b>118</b>		Description : <b>SPOTLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.06	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		43	Pass	

Asset ID : <b>119</b>		Description : <b>SPOTLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.04	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		47	Pass	

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>120</b>		Description : <b>SPOTLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.21	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		48	Pass	

Asset ID : <b>121</b>		Description : <b>SPOTLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.04	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		48	Pass	

Asset ID : <b>122</b>		Description : <b>SPOTLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.19	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		47	Pass	

Asset ID : <b>123</b>		Description : <b>SPOTLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.03	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		44	Pass	

Asset ID : <b>124</b>		Description : <b>SPOTLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		36	Pass	

Asset ID : <b>125</b>		Description : <b>SPOTLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		34	Pass	

Asset ID : <b>126</b>		Description : <b>SPOTLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		4	Pass	



# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall
<b>127</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		1-1-1-1-1-1-1-1
		> 99.9 M
		37
<b>128</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		1-1-1-1-1-1-1-1
		> 99.9 M
		36
<b>129</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		1-1-1-1-1-1-1-1
		> 99.9 M
		4
<b>130</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		1-1-1-1-1-1-1-1
		> 99.9 M
		36
<b>131</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		1-1-1-1-1-1-1-1
		> 99.9 M
		35
<b>132</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		1-1-1-1-1-1-1-1
		> 99.9 M
		36
<b>133</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		1-1-1-1-1-1-1-1
		> 99.9 M
		35
<b>134</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		1-1-1-1-1-1-1-1
		> 99.9 M
		4
<b>135</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		1-1-1-1-1-1-1-1
		> 99.9 M
		35

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall
<b>136</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		1-1-1-1-1-1-1-1
		0.06
		> 99.9 M
<b>137</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		1-1-1-1-1-1-1-1
		0.08
		> 99.9 M
<b>138</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		1-1-1-1-1-1-1-1
		0.08
		> 99.9 M
<b>139</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		1-1-1-1-1-1-1-1
		0.08
		> 99.9 M
<b>140</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		1-1-1-1-1-1-1-1
		0.08
		> 99.9 M
<b>141</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		1-1-1-1-1-1-1-1
		0.16
		> 99.9 M
<b>142</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		1-1-1-1-1-1-1-1
		0.08
		> 99.9 M
<b>143</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		1-1-1-1-1-1-1-1
		0.08
		> 99.9 M

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall
<b>144</b>	<b>EXT LEAD</b>	<b>Pass</b>
<b>Test Type</b>	<b>Details</b>	<b>Result</b>
Visual		1-1-1-1-1-1-1-1
Continuity Test		0.12
Insulation Test	Voltage - 500	> 99.9 M
Polarity Test	Normal	
		Pass
		Pass
		Pass
		Pass
<b>145</b>	<b>SPOTLAMP</b>	<b>Pass</b>
<b>Test Type</b>	<b>Details</b>	<b>Result</b>
Visual		1-1-1-1-1-1-1-1
Insulation Test	Voltage - 500	> 99.9 M
VA Test		36
		Pass
		Pass
		Pass
<b>146</b>	<b>SPOTLAMP</b>	<b>Pass</b>
<b>Test Type</b>	<b>Details</b>	<b>Result</b>
Visual		1-1-1-1-1-1-1-1
Insulation Test	Voltage - 500	> 99.9 M
VA Test		35
		Pass
		Pass
		Pass
<b>147</b>	<b>SPOTLAMP</b>	<b>Pass</b>
<b>Test Type</b>	<b>Details</b>	<b>Result</b>
Visual		1-1-1-1-1-1-1-1
Insulation Test	Voltage - 500	> 99.9 M
VA Test		4
		Pass
		Pass
		Pass
<b>148</b>	<b>SPOTLAMP</b>	<b>Pass</b>
<b>Test Type</b>	<b>Details</b>	<b>Result</b>
Visual		1-1-1-1-1-1-1-1
Insulation Test	Voltage - 500	> 99.9 M
VA Test		4
		Pass
		Pass
		Pass
<b>149</b>	<b>SPOTLAMP</b>	<b>Pass</b>
<b>Test Type</b>	<b>Details</b>	<b>Result</b>
Visual		1-1-1-1-1-1-1-1
Insulation Test	Voltage - 500	> 99.9 M
VA Test		4
		Pass
		Pass
		Pass
<b>150</b>	<b>SPOTLAMP</b>	<b>Pass</b>
<b>Test Type</b>	<b>Details</b>	<b>Result</b>
Visual		1-1-1-1-1-1-1-1
Insulation Test	Voltage - 500	> 99.9 M
VA Test		35
		Pass
		Pass
		Pass
<b>151</b>	<b>SPOTLAMP</b>	<b>Pass</b>
<b>Test Type</b>	<b>Details</b>	<b>Result</b>
Visual		1-1-1-1-1-1-1-1
Insulation Test	Voltage - 500	> 99.9 M
VA Test		35
		Pass
		Pass
		Pass
<b>152</b>	<b>SPOTLAMP</b>	<b>Pass</b>
<b>Test Type</b>	<b>Details</b>	<b>Result</b>
Visual		1-1-1-1-1-1-1-1
Insulation Test	Voltage - 500	> 99.9 M
VA Test		4
		Pass
		Pass
		Pass

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall
<b>153</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		Result
		1-1-1-1-1-1-1-1
		> 99.9 M
		4
<b>154</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		Result
		1-1-1-1-1-1-1-1
		> 99.9 M
		4
<b>155</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		Result
		1-1-1-1-1-1-1-1
		> 99.9 M
		36
<b>156</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		Result
		1-1-1-1-1-1-1-1
		> 99.9 M
		35
<b>157</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		Result
		1-1-1-1-1-1-1-1
		> 99.9 M
		36
<b>158</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		Result
		1-1-1-1-1-1-1-1
		> 99.9 M
		35
<b>159</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		Result
		1-1-1-1-1-1-1-1
		> 99.9 M
		4
<b>160</b>	<b>SPOTLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
		Result
		1-1-1-1-1-1-1-1
		> 99.9 M
		4
<b>161</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		Result
		1-1-1-1-1-1-1-1
		0.16
		> 99.9 M

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall
<b>162</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		Result: 1-1-1-1-1-1-1-1
		Result: 0.16
		Result: > 99.9 M
		Result: Normal
<b>163</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		Result: 1-1-1-1-1-1-1-1
		Result: 0.16
		Result: > 99.9 M
		Result: Normal
<b>164</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		Result: 1-1-1-1-1-1-1-1
		Result: 0.17
		Result: > 99.9 M
		Result: Normal
<b>165</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		Result: 1-1-1-1-1-1-1-1
		Result: 0.5
		Result: > 99.9 M
		Result: Normal
<b>166</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		Result: 1-1-1-1-1-1-1-1
		Result: 0.2
		Result: > 99.9 M
		Result: Normal
<b>167</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		Result: 1-1-1-1-1-1-1-1
		Result: 0.11
		Result: > 99.9 M
		Result: Normal
<b>168</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		Result: 1-1-1-1-1-1-1-1
		Result: 0.08
		Result: > 99.9 M
		Result: Normal
<b>169</b>	<b>EXT LEAD</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Continuity Test		Pass
Insulation Test	Voltage - 500	Pass
Polarity Test	Normal	Pass
		Result: 1-1-1-1-1-1-1-1
		Result: 0.07
		Result: > 99.9 M
		Result: Normal

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>170</b>		Description : <b>EXT LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.06	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>171</b>		Description : <b>EXT LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>172</b>		Description : <b>EXT LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.13	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>173</b>		Description : <b>EXT LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.06	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>174</b>		Description : <b>SPOTLIGHT</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.07	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		28	Pass	

Asset ID : <b>175</b>		Description : <b>SPOTLIGHT</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.18	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		26	Pass	

Asset ID : <b>176</b>		Description : <b>DESKLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		36	Pass	

Asset ID : <b>177</b>		Description : <b>DESKLAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		36	Pass	

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall
<b>178</b>	<b>DESKLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
<b>179</b>	<b>DESKLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
<b>180</b>	<b>DESKLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
<b>181</b>	<b>DESKLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
<b>182</b>	<b>DESKLAMP</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
<b>183</b>	<b>HORNBY C912 TRANSFORMER</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
<b>184</b>	<b>HORNBY C912 TRANSFORMER</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
<b>185</b>	<b>HORNBY C912 TRANSFORMER</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass
<b>186</b>	<b>HORNBY C912 TRANSFORMER</b>	<b>Pass</b>
Test Type	Details	Status
Visual		Pass
Insulation Test	Voltage - 500	Pass
VA Test		Pass

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>187</b>	Description : <b>HORNBY C912 TRANSFORMER</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		7	Pass

Asset ID : <b>188</b>	Description : <b>HORNBY C912 TRANSFORMER</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		10	Pass

Asset ID : <b>189</b>	Description : <b>HORNBY C912 TRANSFORMER</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		9	Pass

Asset ID : <b>190</b>	Description : <b>HORNBY TRANSFORMER</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		10	Pass

Asset ID : <b>191</b>	Description : <b>CABLE REEL 10M</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.22	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>192</b>	Description : <b>EXT LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.05	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>193</b>	Description : <b>EXT LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.07	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>194</b>	Description : <b>EXT LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.07	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass



# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall	
<b>195</b>	<b>EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.08	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>196</b>	<b>EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.08	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>197</b>	<b>EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.07	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>198</b>	<b>EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.06	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>199</b>	<b>HORNBY TRANSFORMER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		10	Pass
<b>200</b>	<b>HORNBY TRANSFORMER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		10	Pass
<b>201</b>	<b>HORNBY TRANSFORMER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		9	Pass
<b>202</b>	<b>HORNBY TRANSFORMER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		10	Pass

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>203</b>		Description : <b>HORNBY TRANSFORMER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		9	Pass	

Asset ID : <b>204</b>		Description : <b>HORNBY TRANSFORMER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		9	Pass	

Asset ID : <b>205</b>		Description : <b>HORNBY TRANSFORMER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		4	Pass	

Asset ID : <b>206</b>		Description : <b>HORNBY TRANSFORMER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		4	Pass	

Asset ID : <b>207</b>		Description : <b>CABLE REEL 10M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.19	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>208</b>		Description : <b>CABLE REEL 10M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.22	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>209</b>		Description : <b>CABLE REEL 10M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.15	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.3	Pass	
VA Test		16	Pass	

Asset ID : <b>210</b>		Description : <b>CABLE REEL 6M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.13	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

# Detailed Test Report

JobID : 116057      Engineer : Paul Sadler      Test Date : 07-Jun-12  
 Company : ES PROMOTIONS      Test Instrument : 1000-745/101089937      Total Tests : 277

Asset ID : 211	Description : CABLE REEL 10M	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.22	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : 212	Description : SURF CONTROL BOX	Overall : Fail	
Test Type	Details	Result	Status
Visual		1-2-1-1-1-1-1-1	Fail (Plug)

**Asset Test Notes : [EXPOSED WIRES TRIMMED AND REPLUGGED. REPORTED]**

Asset ID : 213	Description : SURF CONTROL BOX	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Leakage Test	Differential	0.1	Pass
VA Test		3	Pass

Asset ID : 214	Description : BLOWER	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Leakage Test	Differential	0.2	Pass
VA Test		13	Pass

Asset ID : 215	Description : PLUG -IND SOCKET	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.05	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : 216	Description : SPOT LAMP	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Leakage Test	Differential	0.0	Pass
VA Test		31	Pass

Asset ID : 217	Description : SPOT LAMP	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Leakage Test	Differential	0.0	Pass
VA Test		25	Pass

Asset ID : 218	Description : SPOT LAMP	Overall : Pass	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Leakage Test	Differential	0.0	Pass
VA Test		30	Pass

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>219</b>		Description : <b>SPOT LAMP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		30	Pass	

Asset ID : <b>220</b>		Description : <b>BULL CONTROLLER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		29	Pass	

Asset ID : <b>221</b>		Description : <b>POPCORN MACHINE</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.2	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		4	Pass	

Asset ID : <b>222</b>		Description : <b>POPCORN MACHINE</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.13	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>223</b>		Description : <b>POPCORN MACHINE</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.13	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		10	Pass	

Asset ID : <b>224</b>		Description : <b>POPCORN MACHINE</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.09	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		4	Pass	

Asset ID : <b>225</b>		Description : <b>POPCORN MACHINE</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.06	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>226</b>		Description : <b>CANDY FLOSS MACHINE</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		4	Pass	

Asset ID : <b>227</b>		Description : <b>CANDY FLOSS MACHINE</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	95.03	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		4	Pass	

Asset ID : <b>228</b>		Description : <b>POWERPAX</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		5	Pass	

Asset ID : <b>229</b>		Description : <b>FIG 8 LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 250	> 99.9 M	Pass	

Asset ID : <b>230</b>		Description : <b>CABLE REEL 5M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.14	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>231</b>		Description : <b>CABLE REEL 5M</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.13	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>232</b>		Description : <b>EXT LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.08	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>233</b>		Description : <b>EXT LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.12	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID	Description	Overall	
<b>234</b>	<b>EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.08	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>235</b>	<b>EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.07	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>236</b>	<b>EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>237</b>	<b>EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.08	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>238</b>	<b>EXT LEAD</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.09	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>239</b>	<b>CABLE REEL</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.14	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass
<b>240</b>	<b>AC -AC CONVERTER</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Leakage Test	Differential	0.0	Pass
VA Test		36	Pass
<b>241</b>	<b>SPOTLAMP</b>	<b>Pass</b>	
Test Type	Details	Result	Status
Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		35	Pass

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>242</b>	Description : <b>SPOTLAMP</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		4	Pass

Asset ID : <b>243</b>	Description : <b>SPOTLAMP</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		35	Pass

Asset ID : <b>244</b>	Description : <b>SPOTLAMP</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		34	Pass

Asset ID : <b>245</b>	Description : <b>SPOTLAMP</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		35	Pass

Asset ID : <b>246</b>	Description : <b>SPOTLAMP</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		35	Pass

Asset ID : <b>247</b>	Description : <b>EXT LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.17	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>248</b>	Description : <b>CABLE REEL 5M</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.13	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>249</b>	Description : <b>CABLE REEL 5M</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.14	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>250</b>	Description : <b>SPEAKERS</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		8	Pass

Asset ID : <b>251</b>	Description : <b>WII ADAPTER</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
VA Test		5	Pass

Asset ID : <b>252</b>	Description : <b>PROJECTOR</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 250	> 99.9 M	Pass

Asset ID : <b>253</b>	Description : <b>IEC LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.08	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>254</b>	Description : <b>PROJECTOR</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 250	> 99.9 M	Pass

Asset ID : <b>255</b>	Description : <b>IEC LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.08	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Polarity Test	Normal		Pass

Asset ID : <b>256</b>	Description : <b>ARC LAMPS</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Continuity Test		0.17	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Leakage Test	Differential	0.0	Pass
VA Test		27	Pass

Asset ID : <b>257</b>	Description : <b>ARC LAMPS</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status

Visual		1-1-1-1-1-1-1-1	Pass
Insulation Test	Voltage - 500	> 99.9 M	Pass
Leakage Test	Differential	0.1	Pass
VA Test		73	Pass



# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>258</b>		Description : <b>ARC LAMPS</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.18	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		27	Pass	

Asset ID : <b>259</b>		Description : <b>ARC LAMPS</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.17	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		46	Pass	

Asset ID : <b>260</b>		Description : <b>ARC LAMPS</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.11	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.1	Pass	
VA Test		91	Pass	

Asset ID : <b>261</b>		Description : <b>ARC LAMPS</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.51	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.1	Pass	
VA Test		72	Pass	

Asset ID : <b>262</b>		Description : <b>ARC LAMPS</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.1	Pass	
VA Test		74	Pass	

Asset ID : <b>263</b>		Description : <b>STRONGARM</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		32	Pass	

Asset ID : <b>264</b>		Description : <b>IEC LEAD</b>	Overall : <b>Pass</b>	
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.42	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>265</b>		Description : <b>HAMMER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		65	Pass	

Asset ID : <b>266</b>		Description : <b>HAMMER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.08	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>267</b>		Description : <b>MAKEBELIEVE</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		4	Pass	

Asset ID : <b>268</b>		Description : <b>IEC LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.27	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>269</b>		Description : <b>GRABBER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		42	Pass	

Asset ID : <b>270</b>		Description : <b>IEC LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.13	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>271</b>		Description : <b>QUICK DRAW</b>		Overall : <b>Fail</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	39.59	Pass	
Leakage Test	Differential	5.3	Fail	
VA Test		19	Pass	

# Detailed Test Report

JobID : **116057**      Engineer : **Paul Sadler**      Test Date : **07-Jun-12**  
 Company : **ES PROMOTIONS**      Test Instrument : **1000-745/101089937**      Total Tests : **277**

Asset ID : <b>272</b>		Description : <b>GOLD CUP</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Leakage Test	Differential	0.0	Pass	
VA Test		17	Pass	

Asset ID : <b>273</b>		Description : <b>IEC LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.09	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>274</b>		Description : <b>MIXER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 250	> 99.9 M	Pass	

Asset ID : <b>275</b>		Description : <b>IEC LEAD</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Continuity Test		0.23	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
Polarity Test	Normal		Pass	

Asset ID : <b>276</b>		Description : <b>AC - AC CONVERTER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		31	Pass	

Asset ID : <b>277</b>		Description : <b>AC - AC CONVERTER</b>		Overall : <b>Pass</b>
Test Type	Details	Result	Status	
Visual		1-1-1-1-1-1-1-1	Pass	
Insulation Test	Voltage - 500	> 99.9 M	Pass	
VA Test		29	Pass	